



Syntrans DX3 PURE SYNTHETIC

Code: 9310

Syntrans DX3 Synthetic is a new automatic transmission fluid blended to meet Dexron III, Ford, ZF, Voith and BMW specifications.

Summary of Benefits

- Contains superior additive technology and provides exceptional thermal stability as well as oxidation resistance.
- Use wherever Dexron II or III is specified and is suitable for all ZF and Daimler Benz automatic transmissions.
- It may also be used as a power steering fluid and in hydraulic systems particularly where high temperatures are encountered.
- This product is also approved for use where Allison C4 and Caterpillar TO-2 fluid is recommended.

Specifications

- General Motors: Dexron III
- Ford: M2C138 - CJ, M2C166H, Mercon V
- Allison: C4
- Caterpillar: TO-2
- Sperry Vickers: Hydraulic Pump Systems
- Denison: Hydraulic Pump Systems
- Sunstrand: Hydraulic Pump Systems
- Daimler Benz: DB 236.81
- Voith Diwa: 502-2, 502-3, D851, G607
- ZF: TE-ML11, TE-ML 14
- VW: TL 521 62

Available Size & Product Code

	5L	20L	60L	205L	1000L
Syntrans DX3	-	9310-20	-	-	-



**PRODUCT
INFORMATION**

Syntrans DX3

Storage

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C.

Health, Safety and Environment

A Material Safety Data Sheet (MSDS) is available for each product. Users should consult the MSDS, and follow the precautions outlined and comply with all laws and regulations concerning its use and disposal. Used packaging material should not be incinerated or exposed to flame. After use, protect your environment. Do not pollute drains, soil or water with used product.

The Materials Safety Data Sheet is available at Royal Precision Lubricants by email: info@royallubricants.com.au.

Typical Characteristics

Pour Point (°C)	-51
Kinematic Viscosity at 40°C mm ² /s (cSt)	33
Kinematic Viscosity at 100°C mm ² /s (cSt)	6.9
Viscosity Index	172
Colour	Red

Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications and do not constitute a legal liability.