



Product Data Sheet

Chain & Bar Oil 150

Formulated for Excellent Adhesion and Anti-Wear Performance

Chain & Bar Oil is a specially formulated lubricant designed for lubrication of the chain bar and sprocket on all types of chainsaws and chain driven machinery. Blended using highly refined high viscosity index base oil along with a highly effective tackiness agent and anti-wear additives to protect the chain and bar and minimise throw-off. Used in a wide variety of industries with exceptional results including forestry and farming applications where performance is paramount.

Summary of Benefits:

- Minimises chain adjustment and chain replacement
- Excellent adhesion to the chain and bar
- High level of protection ensures longer bar and chain life
- Provides good antirust and storage protection
- Excellent penetration of chain links

Product Code: 7031

Product Size: 1L, 2.5L, 5L, 20L, 205L, 1000L



20.05.19 v1

WWW.ROYALLUBRICANTS.COM.AU Brisbane: 1-7 Potassium Street, Narangba, QUEENSLAND, AUSTRALIA 4504 Tel: +61 7 3203 0089 Fax:+61 7 3203 3700 ...DRIVEN BY PERFECTION Melbourne: 40 Kimberley Road, Dandenong South, VICTORIA, AUSTRALIA 3175 Tel: +61 3 9768 2441 Fax:+61 3 9768 3325





Product Data Sheet

Chain & Bar Oil 150

Typical Characteristics:

Density at 15°C (kg/L)	0.882
Flash Point COC (°C)	>220
Pour Point (°C)	-12
Kinematic Viscosity at 40°C mm2/s (cSt)	147
Kinematic Viscosity at 100°C mm2/s (cSt)	14.7
Viscosity Index	99

*Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications and do not constitute a legal liability.

Storage:

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C.

Health, Safety and Environment:

A Safety Data Sheet (SDS) is available for each product. Users should consult the SDS, and follow the precautions outlined and comply with all laws and regulations concerning its use and disposal. Used packaging material should not be incinerated or exposed to flame. After use, protect your environment. Do not pollute drains, soil or water with used product.

The Safety Data Sheet is available at Royal Precision Lubricants website <u>www.royallubriants.com.au</u> or by email <u>info@royallubricants.com.au</u>

20.05.19 v1

WWW.ROYALLUBRICANTS.COM.AU Brisbane: 1-7 Potassium Street, Narangba, QUEENSLAND, AUSTRALIA 4504 Tel: +61 7 3203 0089 Fax:+61 7 3203 3700 ...DRIVEN BY PERFECTION Melbourne: 40 Kimberley Road, Dandenong South, VICTORIA, AUSTRALIA 3175 Tel: +61 3 9768 2441 Fax:+61 3 9768 3325