

Syntec C4 5W-30

Full Synthetic, Highly Advanced Passenger Car Engine Oil



PURE SYNTHETIC

Syntec C4 5w-30 is a full synthetic, SAE 5W-30 engine oil formulated using the latest advances in low SAPS additive technology.

Syntec C4 5w-30 is recommended for modern gasoline (petrol), LPG and diesel engines. With or without turbo charging in the latest generation passenger cars equipped with diesel particulate filter and/or selective catalytic reduction (DPF and/or SCR).

Summary of Benefits

- Maximises DPF life and engine performance
- Compatible with modern catalytic converters
- Long drain intervals
- Easy cold start, fast lubrication
- Maximises fuel economy

Specifications:

- ACEA C4
- Renault RN 0720

Product Code: 9183

Product Size: 5L, 20L, 205L



Syntec C4 5W-30



Typical Characteristics:

Specific Density at 15°C (kg/L)	0.851
Flash Point OCO (°C)	228
Pour Point (°C)	-39
Kinematic Viscosity at 40°C mm ² /s (cSt)	66
Kinematic Viscosity at 100°C mm ² /s (cSt)	11.7
Viscosity Index	174
TBN (mg KOH/g)	7.3
Sulphated Ash (%)	0.49

**Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications and do not constitute a legal liability.*

Storage:

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C.

Health, Safety and Environment

A Material Safety Data Sheet (MSDS) is available for each product. Users should consult the MSDS, and follow the precautions outlined and comply with all laws and regulations concerning its use and disposal. Used packaging material should not be incinerated or exposed to flame. After use, protect your environment. Do not pollute drains, soil or water with used product.

*The Materials Safety Data Sheet is available at Royal Precision Lubricants by email:
info@royallubricants.com.au.*