

Multipurpose EP Grease

Non-hazardous Substance Non-dangerous Goods

Issue DateNovember, 2012StatusIssued by Royal Precision Lubricants

COMPANY DETAILS

Company Name Address	Royal Precision Lubricants Pty Ltd (ABN 72 155 989 165 40 Kimberly Road, Dandenong, Victoria, 3175
Telephone Number	61 3 9768 2441
Fax Number	61 3 9768 3325
Emergency Phone	
Number	61 2 9768 2441 (9:00am - 5:00pm AEST, Monday to Friday)

PRODUCT IDENTIFICATION

Product Name	Multipurpose EP Grease
UN Proper Shipping	
Name	Noneallocated
Code	9001
Recommended Use	Multipurpose lithium soap based grease for industrial use.

Section 2: HAZARDS IDENTIFICATION

NOHSC Classification ADG Classification	Not classified as hazardous according to criteria of NOHSC. Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. Note: Combustible materials may be classified as Class 9: miscellaneous dangerous goods if transported with flammable materials. See ADG code for further information.
SUSDP Classification	NotScheduled
Risk Phrases	None
Safety Phrases	None

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Name

All ingredients determined not to be hazardous

CAS Proportion Risk Phrases Not required 100% -

Section 4: FIRST AID MEASURES

Swallowed	DO NOT induce vomiting. Immediately wash out mouth with water, and then give plenty of water to drink. Seek medical attention.
Еуе	Rinse eyes immediately with water for at least 15 minutes. In case of irritation, seek medical advice.
Skin	Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops and persists, seek medical attention. Should grease be accidentally injected under the skin no matter how minor, seek IMMEDIATE medical attention.
Inhaled	Remove the patient to fresh air. Ensure airways are clear and have qualified person give oxygen through a facemask if breathing is difficult. If irritation develops, seek medical attention.
First AidFacilities	No special facilities required.
Advice to Doctor	Treat symptomatically. NOTE: High Pressure Applications: Injections under the skin resulting from contact with high pressure, constitutes a major medical emergency. Injuries may not appear serious at first but within a few hours, tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that the high pressure may force the product considerable distance along tissue.

Section 5: FIRE FIGHTING MEASURES

Fire/Explosion	Classified as C2 (Combustible liquid).
Hazard	Use water as fog or spray to cool fire exposed containers. Do not use direct
Extinguishing Media	stream of water; product will float, possibly re-igniting.
Fire Fighting Precautions Flash Point Hazchem Code Hazards from Combustion Products	Self-Contained Breathing Apparatus (SCBA) and full protective clothing should be worn. > 240°C (COC) None allocated Oxides of carbon.

Section 6: ACCIDENTAL RELEASE MEASURES

 Spills Procedure
 SMALL - 20 LITRES OR LESS

 Soak up with inert oil absorbent. Arrange for disposal through an approved facility.

 LARGE - GREATER THAN 20 LITRES

Remove all sources of ignition. Increase ventilation. Evacuate all unnecessary personnel. Wear full protective equipment and clothing to minimise exposure. If possible contain the spill. Place inert absorbent material such as vermiculite, sand or dirt onto spillage. Use clean non-sparking tools to collect the material and place into a suitable labelled container. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

Section 7: HANDLING AND STORAGE

Handling	Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin disorders. It is essential that all who come into contact, maintain high standards of personal hygiene ie. washing hands prior to eating, drinking or going to the toilet. Build-up of mists in the working atmosphere must be prevented. Misuse of empty containers can be hazardous. Do not cut, weld, heat or drill containers. Residue may ignite with explosive violence if heated sufficiently. Do not pressurise or expose to open flame or heat. Keep container closed and bung in place.
Storage Precautions	Classified as a combustible substance for storage and handling purposes. Store in a cool, dry, well-ventilated area, out of direct sunlight. Avoid sparks, flames, and other ignition sources. Store away from incompatible materials such as materials that support combustion (oxidising materials). Reference should be made to Australian Standard AS1940- The storage and handling of flammable and combustible liquids.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC). However, Exposure Standards for constituents are listed below.

	SUBSTANCE	TWA		STEL	
		ppm	mg/m³	ppm	mg/m³
	Oil mist, mineral	-	5	-	10
	Exposure Standard means	the average c	oncentration o	f a particular	substance in
	the worker's breathing zone	e, exposure to	which, accord	ing to current	t knowledge,
	should not cause adverse h				
	workers. It can be of three forms; time-weighted average (TWA), peak limitation,				
	or short-term exposure limit (STEL).				
Biological Limit					
Values	No biological limit allocated.				
Engineering Control	The use of mechanical dilution ventilation is recommended whenever this				
	product is used in a confined space, is heated above ambient temperatures or				
	otherwise to maintain ambient concentration below the recommended threshold				
	exposure limits.				
Respirator Type	Avoid breathing vapours or mists. Select and use respirators in accordance with				
	AS/NZS 1715/1716. When vapours are generated, the used of the following is				
	recommended: Half face piece respirator with dust/mist filters. The appropriate				
	filter capacity and respirator type will depend on exposure levels encountered.				
Eye Protection	Chemical safety goggles are recommended. If handled hot, a full face shield				
-	should be worn.				
Glove Type	Use of impervious rubber gloves are recommended.				
Clothing	Clothing should be suitable	to avoid produ	uct contacting	the skin on a	prolonged or
-	repeated basis.		0		

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Brown smooth grease
Odour	Negligible
Melting Point	> 180°C
Boiling Point	Not available
Vapour Pressure	Not available
Vapour Density	Not available
pH	Not applicable
Specific Gravity	Approx. 0.9 g/cm ³
Flashpoint	> 240°C (COC)
Flamm. Limit LEL	Not available
Flamm. Limit UEL	Not available
Solubility in Water	< 0.1 g/l

Worked Penetration	
(x60) @25°C	265 - 295

Section 10: STABILITY AND REACTIVITY

Stability Conditions to Avoid Incompatible	Stable under normal conditions of storage and handling. None allocated.
Materials	Strong oxidising agents.
Hazardous Decomposition	
Products	Oxides of carbon. No hazardous polymerisation will occur.

Section 11: TOXICOLOGICAL INFORMATION

Toxicology	The classification as a carcinogen need not apply in this case as the main constituents in this product are in accordance with Note L of the NOHSC Designated List of Hazardous Substances (containing less than 3% DMSO extract as measured by IP 346).
Acute - Swallowed	May cause irritation to the mouth, oesophagus and stomach. Symptoms may include nausea, vomiting and diarrhoea.
Acute - Eye	May cause slight to moderate eye irritation, resulting in redness and stinging.
Acute - Skin	May dry and defat the skin, resulting in skin irritation and possible dermatitis. Grease accidentally injected under the skin can result in local necrosis and tissue damage.
Acute -Inhaled	May cause irritation to the mucous membrane and upper airways, especially if the material is heated or mists are generated and/or is used in poorly ventilated areas. Symptoms may include headache, dizziness and nausea.
Chronic	Prolonged or repeated contact with this material may result in skin irritation leading to dermatitis.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	No ecotoxicological classifications.
Persistence and	
Degradability	This product is inherently biodegradable.
Mobility	Spillages are unlikely to penetrate the soil.

Section 13: DISPOSAL CONSIDERATIONS

 Disposal Method
 Dispose of waste according to federal, EPA, state and local regulations. Assure conformity with all applicable regulations.

 Special Disposal
 None allocated.

Section 14: TRANSPORT INFORMATION

UN Number UN Proper Shipping	None allocated
Name	None allocated
DG Class	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. Note: Combustible materials may be classified as Class 9: miscellaneous dangerous goods if transported with flammable materials. See ADG code for further information.
Packaging Group	None allocated
Hazchem Code	None allocated
Special Transport Precautions	None allocated

Section 15: REGULATORY INFORMATION

AICS

All ingredients present on AICS.

Section 16: OTHER INFORMATION

LastRevision	November, 2012	
Acronyms	ABN	Australian Business Number
	ACGIH	American Conference of Governmental Industrial Hygienists
ADG AEST AICS CAS COC DG Clas EPA	ADG	Australian Dangerous Goods
	AEST	Australian Eastern Standard Time
	AICS	Australian Inventory of Chemical Substances
	CAS	Chemical Abstacts Service Registry Number
	COC	Cleveland Open Cup
	DG Class	Dangerous Goods Class.
	EPA	Environment Protection Agency
	Hazchem	Code of numbers and letters which gives information to emergency services.
IP PMC	IP	Institute of Petroleum
	PMCC	Pensky-Martens Closed Cup
	NOHSC	National Occupational Health and Safety Commission
	SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons
	UN Number	United NationsNumber

CONTACT POINT

hnical Manager

Telephone	61 3 9768 2441

IMPORTANTAll reasonable care has been taken to ensure that the information and advice
contained herein are accurate at the time of printing. However, Royal
Precision Lubricants Pty Ltd accepts no tortious or contractual liability for
any loss or damages suffered as a consequence of reliance on the information
and advice contained herein.

End of MSDS