



**THE INNOVATIVE
AUSTRALIAN**

Product Data Sheet

Senso Gold 15W-50

High Performance Motor Oil for Extra Protection

**NOW MEETS
API: SP**

Senso GOLD is a premium lubricant blended with the finest quality mineral base oils and top quality additive materials to provide the user with the best protection for the extensive range of vehicles requiring this specification. It gives superior engine cleanliness and wear protection.

Summary of Benefits:

- Formulated using low phosphorous technology for the protection of catalytic converters in cars running on unleaded fuel.
- Low volatility of this product minimises oil consumption.
- Superior polymers maintain fluidity during cold temperature start up to protect critical bearing surfaces through rapid circulation.

Specifications:

- API: SP/CF
- SAE Viscosity: 15W-50
- Ford: M2C 153-E
- Mercedes: 229.1
- MIL-L-46152 E, 2104 E
- VW: 500.0, 501.0

Product Code: 1102



4. 6.23

WWW.ROYALLUBRICANTS.COM.AU

Brisbane:

1-7 Potassium Street, Narangba,
QUEENSLAND, AUSTRALIA 4504

Tel: +61 7 3203 0089 Fax: +61 7 3203 3700

...DRIVEN BY PERFECTION

Melbourne:

40 Kimberley Road, Dandenong South,
VICTORIA, AUSTRALIA 3175

Tel: +61 3 9768 2441 Fax: +61 3 9768 3325

Product Size: 5L, 20L, 205L



**THE INNOVATIVE
AUSTRALIAN**

Senso Gold 15W-50

Typical Characteristics:

Density at 15°C (kg/L)	0.880
Flash Point COC (°C)	230
Pour Point (°C)	-30
Kinematic Viscosity at 40°C mm ² /s (cSt)	130
Kinematic Viscosity at 100°C mm ² /s (cSt)	18.5
Viscosity Index	160
Sulphated Ash (%m)	<1.0
Colour	Clear and

**Typical characteristics are only a guide to industry and are not necessarily manufacturing or marketing specifications and do not constitute a legal liability.*

Storage:

All packages should be stored under cover to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C.

Health, Safety and Environment:

A Safety Data Sheet (SDS) is available for each product. Users should consult the SDS, and follow the precautions outlined and comply with all laws and regulations concerning its use and disposal. Used packaging material should not be incinerated or exposed to flame. After use, protect your environment. Do not pollute drains, soil or water with used product.

The Safety Data Sheet is available at Royal Precision Lubricants website www.royallubricants.com.au or by email: info@royallubricants.com.au.

V1 13/07/2019

WWW.ROYALLUBRICANTS.COM.AU

Brisbane:

1-7 Potassium Street, Narangba,
QUEENSLAND, AUSTRALIA 4504

Tel: +61 7 3203 0089 Fax: +61 7 3203 3700

...DRIVEN BY PERFECTION

Melbourne:

40 Kimberley Road, Dandenong South,
VICTORIA, AUSTRALIA 3175

Tel: +61 3 9768 2441 Fax: +61 3 9768 3325