



SAFETY DATA SHEET

Product: Brake Fluid DOT 4

1. Product Identification

Product Details

Product Identifier	Brake Fluid DOT 4
Product Code	6010
Recommended Use	Automotive Brake Fluid

Manufacturer or Supplier Details

Supplier	Royal Precision Lubricants Pty Ltd (ABN 72 155 989 165)
Address	40 Kimberly Road, DANDENONG SOUTH, VIC, 3175
Telephone	+61 3 9768 2441
Fax	+61 3 9768 3325

Emergency Telephone Number +61 7 3203 2833

Email info@royallubricants.com.au

2. Hazard(s) Identification

GHS Classification

Not Classified as Hazardous according to the Globally Harmonised System of Classification on and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

3. Composition / Information on Ingredients

Ingredients:

Ingredient	% (w/w)	CAS Number
------------	---------	------------

Non hazardous component(s) to 100%

Preparation Description

Clear amber coloured liquid with a characteristic odour.

4. First Aid Measures

Eye contact: If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Inhalation: Remove victim from area of exposure – avoid becoming a casualty.
Remove contaminated clothing and loosen remaining clothing.
Allow patient to assume most comfortable position and keep warm.
Keep at rest until fully recovered.
Seek medical advice if symptoms persist.



SAFETY DATA SHEET

Product: Brake Fluid DOT 4

Skin contact: If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

If swallowed: Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Do not give anything to an unconscious person. Seek immediate medical assistance.

Protection of first-aiders: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.

Notes to physician: Treat symptomatically. Show this MSDS to the medical practitioner.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once.
(131 126)

5. Fire Fighting Measures

Suitable Extinguishing Equipment: Use extinguishing media suitable to surrounding fire.

Hazards from Combustion Products: Oxides of carbon and nitrogen. Hydrocarbon compounds.

Specific Methods: Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from the path of fire. On burning will emit toxic fumes. Keep containers cool with water spray. Fire fighters to wear self contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

Special Protective for Fire Fighters: Fire- fighters should wear full protective clothing and self contained breathing apparatus (SCBA).

Other Information: This product is COMBUSTIBLE at elevated temperatures. Irritating and/or harmful vapours may be emitted under fire conditions.

6. Accidental Release Measures

Emergency Procedures: Wear protective equipment to prevent skin and eye contact. Avoid breathing in vapours. Dilute with water - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

Spills & Disposal Collect and seal in properly labelled containers for disposal. Contain spills with inert absorbent material (eg. Sand, earth). Transfer liquids and used absorbent material to separate suitable containers for recovery or disposal.



SAFETY DATA SHEET

Product: Brake Fluid DOT 4

7. Handling and Storage

Precautions for Safe Handling:	Avoid skin and eye contact and breathing in vapour. Ensure good ventilation.
Conditions for safe storage, including any incompatibilities:	Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use – check regularly for leaks or build up of pressure.
Store Regulations:	Classified as a Class C1 (Combustible Liquid) for the purpose of storage and handling, in accordance with the requirements of AS1940.

8. Exposure Control / Personal Protection

Occupational exposure limit values:	No value assigned for this specific material by Safe Work Australia.
Appropriate Engineering Controls:	Use in well ventilated areas. If inhalation risk exists; use with local exhaust ventilation or while wearing organic vapour respirator. DO NOT enter confined spaces where vapour may have collected. Keep containers closed when not in use.
Personal Protective Equipment Respiratory Protection:	OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated and other protective equipment before storage or reuse.

9. Physical and Chemical Properties

Form	Liquid
Appearance	Amber or Green liquid
Odour	Characterisitic
Freezing Point	Not available
Boiling Point	Approx 277°C
Vapour Pressure	Not available
Solubility in Water	Fully Miscible
pH Value	8.5
Specific Gravity	1.074
Flash Point	>120°C cc
Auto-Ignition Temperature	Not Available



SAFETY DATA SHEET

Product: Brake Fluid DOT 4

10. Stability and Reactivity

Chemical stability:	No dangerous reactions or incompatible materials known.
Conditions to Avoid:	Avoid excessive heat and high sources of energy.
Incompatible materials:	Incompatible with strong acids and strong oxidising agents.
Possibility of hazardous reaction:	Product is stable under normal conditions of use, storage and temperature.
Hazardous Polymerization:	Product will not undergo polymerisation.

11. Toxicological Information

Ingestion:	Swallowing can result in nausea, vomiting and diarrhea and abdominal pain.
Inhalation:	May cause respiratory tract irritation.
Skin:	Contact with skin can result in irritation.
Eye:	May be an eye irritant.
Health Hazard:	No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are listed below.
Chronic Effects:	Dermatitis may occur from chronic and prolonged skin exposure. Contains materials which may cause damage to kidneys and liver. Some ingredients showed reproductive toxicity in animal studies with high level oral exposure.

12. Ecological Information

Ecotoxicity:	Avoid contaminating waterways. No specific information available.
---------------------	---

13. Disposal Considerations

Disposal Considerations:	Refer to Waste Management Authority. Dispose if material through a licensed waster contractor. Empty containers must be decontaminated and destroyed. Normally suitable for incineration by an approved agent.
---------------------------------	--



SAFETY DATA SHEET

Product: Brake Fluid DOT 4

14. Transport Information

Transport Information:	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail or NZS 5433:1999 Transport of Dangerous Goods on Land.
Marine Transport:	Not classified as a Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Air Transport:	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
UN Number:	None Allocated
UN Proper Shipping Name:	None Allocated
Transport Hazard Class(es):	None Allocated

15. Regulatory Information

Poisons Schedule

Not scheduled

Australia (AICS)

All ingredients are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

16. Other information

Date of Issue 08th December 2016

Abbreviations
ADG = Australian Dangerous Goods
GHS = Globally Harmonised System of Classification and Labelling of chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk container
IMDG = International Maritime Dangerous Goods
STEL = Short term exposure limit
TWA = time weighted average

References
Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Standard for the Uniform Scheduling of Medicines and Poisons.
Australian Code for the Transport of Dangerous Goods by Road & Rail.
Workplace exposure standards, Safe Work Australia.
Hazardous Substances/Chemicals Information System, Safe Work Australia.
Globally Harmonised System of classification and labelling of chemicals.
Raw material suppliers' SDS.

Other Information

Reason(s) for Issue: Review

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed.

Never return any unused material to original drum.



SAFETY DATA SHEET

Product: Brake Fluid DOT 4

The information contained in this SDS is as accurate as we can ascertain at this time. However, as the information is gleaned from a number of third party sources, Royal Precision Lubricants can make no warranty, guarantee or statement as to the reliability or completeness of the information. Royal Precision Lubricants will not accept liability of any damages whatsoever arising from the reliance of this information. It is the responsibility of the person handling the product to satisfy themselves as to the suitability and completeness of such information for their own use.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a valid license. Royal Precision Lubricants should not be responsible for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.

...END OF SDS...