Royal Precision Lubricants Pty Ltd



40 Kimberly Road **DANDENONG SOUTH VIC 3175**

Ph: 03 9768 2441 Fax: 03 9768 3325

SAFETY DATA SHEET

Product: Brake Fluid DOT 3

1. Product Identification

Product Details

Product Identifier Brake Fluid DOT 3

Product Code 6011

Recommended Use Automotive brake fluid

Manufacturer or Supplier Details

Supplier Royal Precision Lubricants Pty Ltd

(ABN 72 155 989 165)

Address 40 Kimberly Road, DANDENONG SOUTH, VIC, 3175

Telephone +61 3 9768 2441 +61 3 9768 3325 Fax

+61 77 3203 2833 **Emergency Telephone Number**

Email info@otechaustralia.com.au

2. Hazard(s) Identification

GHS Classification

Not Classified as Hazardous according to the Globally Harmonised System of Classification on and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Precautionary Statement (s)

Keep out of reach of children.

3. Composition / Information on Ingredients

Ingredients:

Ingredient % (w/w) **CAS Number**

Non hazardous component(s) to 100%

Preparation Description

Clear amber coloured liquid with a characteristic odour.

4. First Aid Measures

Eye contact: If in eyes, wash out immediately with water. In all cases of eye contamination it is a

sensible precaution to seek medical advice.

Inhalation: Remove victim from area of exposure – avoid becoming a casualty.

Issue Date: 3 May 2017 Issued by: Corporate Energy Australia Page 1 of 6





SAFETY DATA SHEET

40 Kimberly Road DANDENONG SOUTH VIC 3175 Ph: 03 9768 2441 Fax: 03 9768 3325

Product: Brake Fluid DOT 4

Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm.

Keep at rest until fully recovered.

Seek medical advice if symptoms persist.

Skin contact: If skin or hair contact occurs, immediately remove any contaminated clothing and

wash skin and hair thoroughly with running water.

If swelling, redness, blistering or irritation occurs seek medical assistance.

If swallowed: Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting

occurs give further water. Do not give anything to an unconscious person. Seek

immediate medical assistance.

Protection of first-aiders: When administering first aid, ensure that you are wearing the appropriate personal

protective equipment according to the incident, injury and surroundings.

Notes to physician: Treat symptomatically. Show this MSDS to the medical practitioner.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

5. Fire Fighting Measures

Suitable Extinguishing

Equipment:

Dry chemical, carbon dioxide, water spray (fog) or foam. Use extinguishing media

suitable to surrounding fire.

Hazards from Combustion

Products:

Oxides of carbon and nitrogen. Hydrocarbon compounds.

Specific Methods: Heating can cause expansion or decomposition of the material, which can lead to

the containers exploding. If safe to do so, remove

containers from the path of fire. On burning will emit toxic fumes. Keep

containers cool with water spray. Fire fighters to wear self

contained breathing apparatus and suitable protective clothing if risk of exposure

to vapour or products of combustion.

Special Protective for Fire

Fighters:

Fire- fighters should wear full protective clothing and self contained breathing

apparatus (SCBA).

Other Information: This product is COMBUSTIBLE at elevated temperatures. Irritating and/or harmful

vapours may be emitted under fire conditions.

6. Accidental Release Measures

Emergency Procedures: Wear protective equipment to prevent skin and eye contact. Avoid breathing in

vapours. Dilute with water - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled

Issue Date: 3 May 2017 Issued by: Corporate Energy Australia Page 2 of 6



SAFETY DATA SHEET

40 Kimberly Road DANDENONG SOUTH VIC 3175 Ph: 03 9768 2441 Fax: 03 9768 3325

Royal Precision Lubricants Pty Ltd

Product: Brake Fluid DOT 4

containers for disposal. If contamination of sewers or waterways has occurred

advise local emergency services

Spills & Disposal Collect and seal in properly labelled containers for disposal. Contain spills with

inert absorbent material (eg. Sand, earth). Transfer liquids and used absorbent

material to separate suitable containers for recovery or disposal.

7. Handling and Storage

Precautions for Safe Handling: Avoid skin and eye contact and breathing in vapour. Ensure good ventilation.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from

incompatible materials described in Section 10.

Keep containers closed when not in use - check regularly for leaks or build up of

pressure.

Store Regulations: Classified as a Class C2 (Combustible Liquid) for the purpose of storage and

handling, in accordance with the requirements of AS1940.

8. Exposure Control / Personal Protection

Occupational exposure limit

values:

No value assigned for this specific material by Safe Work Australia.

Appropriate Engineering Controls: Use in well ventilated areas. If inhalation risk exists; use with local exhaust ventilation

or while wearing organic vapour respirator.

DO NOT enter confined spaces where vapour may have collected. Keep containers

closed when not in use.

Personal Protective Equipment

Respiratory Protection:

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS

1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated and other protective equipment before storage or reuse.

9. Physical and Chemical Properties

Form Liquid Amber liquid **Appearance** Odour Characterisitic **Freezing Point** Not available **Boiling Point** Approx >230°C Not available Vapour Pressure Solubility in Water **Fully Miscible** pH Value 9.7

 pH Value
 9.7

 Specific Gravity
 1.07

 Flash Point
 >141°C cc

Issue Date: 3 May 2017 Issued by: Corporate Energy Australia Page 3 of 6

Royal Precision Lubricants Pty Ltd



SAFETY DATA SHEET

40 Kimberly Road DANDENONG SOUTH VIC 3175 Ph: 03 9768 2441 Fax: 03 9768 3325

Product: Brake Fluid DOT 4

Auto-Ignition Temperature Not Available

10. Stability and Reactivity

Chemical stability: No dangerous reactions or incompatible materials known.

Conditions to Avoid: Avoid excessive heat and high sources of energy.

Incompatible materials: Incompatible with strong acids and strong oxidising agents.

Possibility of hazardous

reaction:

Product is stable under normal conditions of use, storage and temperature.

Hazardous Polymerization: Product will not undergo polymerisation.

11. Toxicological Information

Ingestion: No know significant effects.

Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects

may be delayed following exposure.

Skin: No known significant effects.

Eye: No known significant effects.

Health Hazard:No adverse health effects expected if the product is handled in accordance with this

Safety Data Sheet and the product label.

Symptoms or effects that may arise if the product is mishandled and overexposure

occurs are listed below.

Chronic Effects: Dermatitis may occur from chronic and prolonged skin exposure. Contains materials

which may cause damage to kidneys and liver.

Some ingredients showed reproductive toxicity in animal studies with high level oral $% \left(1\right) =\left(1\right) \left(1\right) \left($

exposure.

12. Ecological Information

Ecotoxicity: Avoid contaminating waterways. No specific information available.

13. Disposal Considerations

Disposal Considerations: Refer to Waste Management Authority. Dispose if material through a licensed waster

contractor. Empty containers must be decontaminated and destroyed. Normally

suitable for incineration by an approved agent.

Issue Date: 3 May 2017 Issued by: Corporate Energy Australia Page 4 of 6





SAFETY DATA SHEET

40 Kimberly Road DANDENONG SOUTH VIC 3175 Ph: 03 9768 2441 Fax: 03 9768 3325

Product: Brake Fluid DOT 4

14. Transport Information

Transport Information: Not classified as a Dangerous Good according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail or NZS 5433:1999 Transport of

Dangerous Goods on Land.

Marine Transport: Not classified as a Dangerous Goods by the criteria of the International Maritime

Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport: Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations

for transport by air.

UN Number: None Allocated

UN Proper Shipping Name: None Allocated

Transport Hazard Class(es): None Allocated

15. Regulatory Information

Poisons Schedule

Not scheduled

Australia (AICS)

All ingredients are listed on the Australian Inventory of Chemical Substances (AICS) or exempt.

16. Other information

Date of Issue 08th December 2016

Abbreviations ADG = Australian Dangerous Goods

GHS = Globally Harmonised System of Classification and Labelling of chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk container

IMDG = International Maritime Dangerous Goods

STEL = Short term exposure limit TWA = time weighted average

References Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Workplace exposure standards, Safe Work Australia.

Hazardous Substances/Chemicals Information System, Safe Work Australia. Globally Harmonised System of classification and labelling of chemicals.

Raw material suppliers' SDS.

Other Information

Reason(s) for Issue: GHS Update

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed.

Never return any unused material to original drum.

Issue Date: 3 May 2017 Issued by: Corporate Energy Australia Page 5 of 6

Royal Precision Lubricants Pty Ltd



SAFETY DATA SHEET

40 Kimberly Road DANDENONG SOUTH VIC 3175 Ph: 03 9768 2441 Fax: 03 9768 3325

Product: Brake Fluid DOT 4

The information contained in this SDS is as accurate as we can ascertain at this time. However, as the information is gleaned from a number of third party sources, Royal Precision Lubricants can make no warranty, guarantee or statement as to the reliability or completeness of the information. Royal Precision Lubricants will not accept liability of any damages whatsoever arising from the reliance of this information. It is the responsibility of the person handling the product to satisfy themselves as to the suitability and completeness of such information for their own use.

Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission, recommendation or authorization given or implied to practice any patented invention without a valid license. Royal Precision Lubricants should not be responsible for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.

...END OF SDS...

Issue Date: 3 May 2017 Issued by: Corporate Energy Australia Page 6 of 6